

Index

Power Reactor Technology

Volume 8

Note: The page range for each of the four issues of Vol. 8 is as follows: No. 1, pages 1 to 108; No. 2, pages 109 to 156; No. 3, pages 157 to 198; and No. 4, pages 199 to 296.

A

- Accidents
 - frequency, 221-22
 - loss-of-coolant, 240-41
- Aerosols
 - formation in NaK systems, 260
 - traps for, 259-70
- Air
 - effects on corrosion by polyphenyls, 294
 - reactivity effects, 109
- Air-water systems
 - flow, techniques for observing, 165
- Aluminum
 - corrosion by polyphenyls, 293-94
- Aluminum alloys
 - (see also SAP)
- Aluminum alloys (Al-Pu)
 - criticality, 210, 212
- Aluminum oxide systems ($\text{Al}_2\text{O}_3\text{-UO}_2$)
 - radiation effects, 8
- Analog computers
 - use for reactor control, 227
- Annuli
 - heat transfer in, 121-22
- Argonne National Laboratory
 - liquid-metal magnetohydrodynamic research, 207-8
- ARGOSY code
 - for graphite-moderated reactor core design, 160-61
- ARGUS code
 - thermal conductivity calculations, 118
- Atomics International
 - liquid-metal magnetohydrodynamic system research, 207

B

- Bellows
 - failures in Hallam Power Reactor, 282-83
- Beryllium
 - corrosion by polyphenyls, 294
- Beryllium-9
 - integral cross section, 115
- Beryllium oxide systems (BeO-UO_2)
 - radiation effects, 8
- Beryllium oxide systems (BeO-UO_2) (Hastelloy-X-clad)
 - fuel elements, evaluation, 173
- Bibliographies
 - two-phase flow, 164

- Biphenyl
 - heat transfer properties, 295
 - pyrolysis, 290
 - radiolysis, 290-92
- Boiling, 14-17
 - bubble growth and control, 256
 - burnout in Freon, 166
 - burnout in Na, 164
 - burnout in steam-water systems, 166-70
 - heat transfer, 235
 - heat transfer from K, 163-64
 - phase velocity in two-phase flow, 235
 - stability in two-phase flow, 228
 - subcooled, burnout heat flux in, 122-23
- Boiling (film)
 - heat transfer coefficients, 231
 - theoretical studies, 232
- Boiling (nucleate)
 - bubble phenomena, 232
 - convection effects, 235
 - effects on frictional pressure drop, 253
 - heat flux effects on, 229
 - heat transfer in brines, 238
 - liquid metal instability, 231
- Boiling (pool)
 - effects of heat flux, 229-30
 - heat transfer, 253
- Boric acid
 - use as chemical shim, 272
 - use as soluble poison, 214
 - use of solution for reactor shutdown, 225
- Boron
 - use as soluble poison, 10-12
- Brass
 - corrosion by polyphenyls, 294
- Breeding blankets
 - design for large fast breeder reactors, 147-52
- Brines
 - deposit formation in boiling, 238
- Brookhaven National Laboratory
 - liquid-metal magnetohydrodynamic system research, 208
- Bubbles
 - effects on heat transfer, 253
 - effects on thermal stresses, 255
 - formation and control in boiling, 256
 - formation rate during boiling, 235
 - phenomena in nucleate boiling, 232
 - in turbulent flow, 234-35
- Buckling
 - experiments, 109-10
 - fuel elements, UC, 111
 - materials, in light-water reactors, 214-15

- Burnable poisons
 - (see Poisons)
- Burnout, 14-17
 - in boiling Na, 164
 - in fog-cooled reactors, 228-29
 - in Freon, 166
 - safety margin computation, 227
 - in steam-water systems, 166-70
 - in water, 121-23
- Burnup
 - fuel elements, Magnox-clad, 62
 - measurements, 216-17

C

- Cadmium sulfates
 - solution, use as poison, 214
- Calcium sulfates
 - deposits in boiling solutions, 238
- Catalytic hydrocracking
 - reclaiming of organic coolants, 292
- Ceramics
 - (see Fuel elements (ceramic))
- Cermets
 - (see Fuel elements (cermet))
- Cesium (liquid)
 - thermal, thermodynamic, and flow properties, 164
- Channels
 - burnout of water in vertical, 121
 - fluid flow stability in heated, 231
- Chloride ions
 - corrosive effects on stainless steels, 254
- Coatings
 - corrosion by polyphenyls, 294
- Cold traps
 - for oxides in Hallam Power Reactor, 285
- Components
 - reliability, 221
- Computer codes
 - ARGOSY, 160-1
 - ARGUS, 118
 - GAM-I, 210, 212
 - HEAT-1, 118
 - HFN, 212
 - HRG, 212
 - MARC-2B, 215
 - MOCA-2, 215
 - REX, 210
 - ROB, 118
 - SOFOCATE, 210
 - STOKE, for heavy water reactor simula-

- tion, 35
 - TEMPEST, 212
 - THERMOS, 212, 215
 - TYCHE, 113
 - Computers
 - use for reactor control, 226-27
 - Condensation
 - dropwise, of ethylene glycol, 233
 - dropwise, of water, 233
 - of laminar films, 232
 - of liquid metals, 232-33
 - vapor traps utilizing, 259-60
 - Conductivity
 - (see Thermal conductivity)
 - Control, 221-27
 - calibration for EBR-I, with Pu core, 158
 - calibration for SRE, second core, 157
 - computer use for, 226-27
 - critical assemblies using moderator level, 223-24
 - gas-cooled reactors, 68-69
 - poisons, 10-12, 214, 217, 225-26
 - Control rods
 - drive mechanisms for EBR-II, 133-34
 - gravity independent, 223
 - operation in Hallam Power Reactor, 282
 - radiation effects, 271
 - reliability, 221-22
 - thimble failure in Hallam Power Reactor, 283-84
 - Control systems, 272-75
 - ASTR, 223
 - development, 18
 - Elk River Power Reactor, 271-72
 - Hallam Power Reactor, 280, 282
 - Indian Point Power Reactor, 271
 - large pressurized-water reactors, 144-46
 - Yankee Power Reactor, 271-72
 - Convection (forced)
 - in boiling K, 163-64
 - burnout heat flux in subcooled boiling water, 122
 - effects in boiling, 235
 - fluid flow stability, 231-32
 - two-phase flow, 228
 - Convection (free)
 - burnout of water in vertical channel, 121
 - coolant loop transient behavior, 122
 - effects on film condensation, 232
 - heat transfer coefficients for ice-water systems, 239-40
 - heat transfer at cryogenic temperatures, 239
 - heat transfer to finned tubes, 236-37
 - liquid metal boiling in, 231
 - Coolant loops
 - fluid flow stability, 122
 - transient behavior under free convection, 122
 - Coolants
 - (see also Potassium alloys (K-Na) (liquid))
 - contamination in Dounreay Fast Reactor, 75
 - flow oscillations in Elk River Power Reactor, 273
 - loss accidents, 240-41
 - Na, 75-96
 - Coolants (organic)
 - corrosive effects, 293-94
 - film formation by, 293-94
 - heat transfer properties, 123-24, 295
 - pyrolysis, 290-91
 - radiolysis, 290-94
 - reactivity effects of Dowtherm A, 109
 - reclamation, 292-93
 - Cooling systems
 - Hallam Power Reactor, 282
 - Copper
 - corrosion by polyphenyls, 294
 - Cores
 - radiation effects on lifetime, 216
 - Cores (graphite moderated)
 - physics calculations, 160-61
 - Corrosion
 - by nitrogen, 173-74
 - by organic coolants, 44-45, 293-94
 - in Agesta Reactor, 275
 - of ceramic fuel elements (Zircaloy-2-clad), 177-82
 - of Hastelloys, 23, 173-74
 - of Incoloy-X, 23
 - of Nb alloys, 42-45
 - of stainless steels, 254-55, 293-94
 - of steels, 9-10, 293-94
 - of Yankee Power Reactor control rods, 271-72
 - Corrosion products
 - deposition in reactors, 252, 256
 - Cracks
 - propagation in boiling water reactor fuel elements, 254
 - Critical assemblies
 - control by moderator level, 223-24
 - perturbations in graphite-moderated, 115
 - Critical assemblies (Anna)
 - design, 111-12
 - Critical assemblies (Helena)
 - design, 111
 - Critical assemblies (OCF)
 - pulsed neutrons in, 112
 - Critical assemblies (ROSPO)
 - design, 112
 - Critical assemblies (Scorpio I)
 - criticality measurements in, 212
 - Critical assemblies (Scorpio II)
 - criticality measurements in, 212
 - Critical assemblies (TCA)
 - pulsed neutrons in, 112
 - Critical experiments, 109-13, 210-14
 - Critical facilities (Alize-II)
 - use of soluble poisons in, 214
 - Cross sections, 114-15
 - absorption, thermal neutrons in graphite, 114-15
 - calculations, 210, 212
 - fission, of ^{241}Pu , 115
 - fission spectrum, of ^{235}U , 115
 - integral, of ^9Be , 115
 - neutron capture, of Pu isotopes, 211
 - Crud
 - analysis from VBWR, 254, 256
 - Cryogenics
 - heat transfer, 232-33
- D**
- Decontamination
 - sodium reactor coolants, 75-77
 - Delayed neutrons
 - calculations, 161-62
 - Departure from nucleate boiling
 - effects of nonuniform heat flux on, 229
 - Desalination
 - deposits during boiling and heat transfer through films, 238
 - Diffusion length
 - thermal neutrons in graphite, 114-15
 - Digital computers
 - use for reactor control, 226
 - Diphenyl
 - (see Biphenyl)
 - Direct power conversion
 - plants, 105-6
 - "Dowtherm A" coolant
 - reactivity effects, 109
- E**
- Economics
 - of catalytic hydrocrackers for organic coolant reclamation, 292-93
 - fast breeder reactors, 85
 - radiation effects on core lifetime, 216
 - sodium graphite reactors, 185
 - Electrical circuits
 - SPERT-3, failure, 272-73
 - Electrons
 - radiation effects on polyphenyls, 291-92
 - Electrostatic precipitations
 - use with NaK vapors, 260
 - Energy conversion (direct)
 - plants, 105-6
 - Ethylene glycol
 - condensation, dropwise, 233
 - Excursions, 221-22
 - Exponential experiments, 109-13, 211-14
- F**
- Fission parameters
 - calculations, 161-62
 - Fission products
 - contamination at Dounreay Fast Reactor coolant, 75
 - gases, monitor for, 263
 - Fluid flow, 14-17, 118-25, 163-71, 228-44
 - effects on boiling, 253
 - large pressurized water reactors, 142-44
 - oscillations in Elk River Power Reactor, 273
 - Fluid flow (annular)
 - transition to two-phase, 234
 - Fluid flow (froth)
 - occurrence and characterization, 123
 - Fluid flow (turbulent)
 - bubble studies, 234-35
 - heat transfer in annuli, 122
 - Flowsheets
 - Halden Reactor, 50
 - soluble poison control systems, 11
 - Forced convection
 - (see Convection (forced))
 - Free convection
 - (see Convection (free))
 - Freeze traps
 - for Na in Hallam Power Reactor, 285
 - Freon systems
 - boiling burnout in, 166
 - Froth flow
 - (see Fluid flow (froth))
 - Fuel assemblies
 - design for large pressurized-water reactors, 139-41
 - Fuel cycles
 - evaluation for large fast breeder reactors, 154-55
 - Fuel elements
 - Agesta Reactor, 51-52
 - burnout of rods, 167
 - criticality of pins, 210
 - design, 3, 6-9
 - design for AGR Reactor, 62
 - design for Anna Critical Assembly, 112
 - design for BONUS Reactor, 27
 - design for NORA Reactor, 112
 - design for RB Reactor, 112
 - development for fast breeder reactors, 86-91
 - development of SAP, 37, 39
 - fabrication, 126-31
 - failures in boiling water reactors, 254-56

failure due to internal pressure, 252
 failure in VBWR, 252-54, 256
 Marviken Reactor, 51-52
 radiation effects, 7-8, 62, 82, 255-56
 thermal conductivity, 118-21, 129

Fuel elements (Al-Pu)
 criticality in graphite lattices, 212

Fuel elements (BeO- UO_2)(Hastelloy-X-clad)
 evaluation, 173

Fuel elements (ceramic)
 design, 3, 6-9, 147-52
 evaluation, 172-74

Fuel elements (ceramic)(Zircaloy-2-clad)
 fretting corrosion, 177-82

Fuel element (cermet)
 development, 89, 126-28
 fabrication, 129
 thermal conductivity, 129

Fuel elements (enriched U)
 criticality in D_2O lattices, 213

Fuel elements (Incoloy-800-clad)
 evaluation for superheating reactors, 174-75

Fuel elements (Magneox-clad)
 burnup, 62
 design, 63-66
 radiation effects, 62

Fuel elements (Mo- UO_2 cermet)
 fabrication and thermal conductivity, 129

Fuel elements (Mo-W- UO_2 cermet)
 development, 128

Fuel elements (Nb-Th O_2 - UO_2 cermet)
 thermal conductivity, 129

Fuel elements (Pu)
 criticality in graphite lattices, 212

Fuel elements (Pu-U)
 criticality in graphite lattices, 212-13

Fuel elements (PuC-UC)
 design for large fast breeder reactors, 147-49, 151-52

Fuel elements (Pu O_2 - UO_2)
 criticality in water, 212
 design for large fast breeder reactors, 149-52
 specifications, 129

Fuel elements (Pu O_2 - UO_2)(Zircaloy-2-clad)
 fretting corrosion, 177-82

Fuel elements (Pu O_2 - UO_2)(Zr-clad)
 criticality, 210
 fretting corrosion, 177-82

Fuel elements (stainless steel-clad)
 design, 3, 6-9

Fuel elements (stainless steel- UO_2 cermet)
 development, 126-27

Fuel elements (Th-U)
 development for fast breeder reactors, 89

Fuel elements (Th-U-Zr)(Zircaloy-2-clad)
 fabrication, 130

Fuel elements (Th O_2 - UO_2)
 design, 3, 6-9

Fuel elements (W- UO_2 cermet)
 development, 127-28

Fuel elements (U)
 criticality in graphite lattices, 212-13

Fuel elements (UC)
 buckling studies, 111
 development for sodium graphite reactors, 81-83
 radiation effects, 82

Fuel elements (UC)(stainless steel-clad)
 evaluation, 174
 fabrication of Na-bonded, 129-30

Fuel elements (UO_2)
 design, 3, 6-9
 fabrication, 129
 thermal conductivity, 119-21

Fuel elements (UO_2)(enriched)

pulsed neutron studies, 112

Fuel elements (UO_2)(stainless steel-clad)
 evaluation, 172
 fabrication, 128-29

Fuel elements (UO_2)(Zircaloy-2-clad)
 evaluation, 172-74
 fretting corrosion, 177-82

Fuel elements (Zircaloy-clad)
 design, 3, 6-9
 evaluation, 18

Fueling machines
 Bradwell Reactor, operation, 68
 EBR-2, vapor traps for, 262-63
 design, 68, 141-42

G

Gadolinium nitrates
 use of solutions for reactor shutdown, 226

GAM-I code
 criticality and cross section calculations, 210, 212

Gases
 entrainment in Hallam Power Reactor, 284
 fission product monitoring, 263
 thermodynamic properties, 121, 239

Graphite
 criticality of Pu alloys in lattices of, 212-13
 moderator, pulsed neutron studies in, 112-13
 thermal neutron absorption cross section and diffusion length in, 114-15

Gravity
 control rod independence from, 223

H

Hastelloy-C alloy
 corrosion in superheating reactors, 23

Hastelloy-X alloy
 corrosion by N_2 , 173-74

HEAT-1 code
 thermal conductivity calculations, 118

Heat exchangers
 concentric tube, dynamic analysis of, 237
 design, 236-37
 efficiency, 236
 failures in Hallam Power Reactor, 284
 finned tube, 236-37
 heat transfer coefficients for NaK, 235-36

Heat transfer, 14-17, 118-25, 163-71, 228-44, 253
 large pressurized-water reactors, 142-44
 organic coolants, 123-24, 295

Heavy water
 chemistry of, 39-40
 control of oxygen in, 277
 criticality studies in lattices of, 213
 moderator, pulsed neutron studies in, 113
 reactivity effects, 109
 reflector, in University of Michigan Reactor, 277, 279

Heavy Water Lattice Project
 buckling experiments, 109-10

Helium
 thermodynamic properties, 121

HFN code
 cross section calculations, 212

Hot traps
 for carbon in Hallam Power Reactor, 285

HRG code
 cross section calculations, 212

Hydriding
 Zr alloys, 9, 246-51

Hydrogen
 effects on corrosion by polyphenyls, 294
 reactions with Zircalloys, 245-46
 thermal conductivity at high temperatures, 239

I

Ice-water systems
 free convection melting, heat transfer calculations, 239-40

Impingement
 vapor traps utilizing, 260

Incoloy-800 alloy
 testing for fuel element cladding, 174-75

Inconel-X alloy
 corrosion in superheating reactors, 23

Indium resonance energy
 flux age, 113-14
 TYCHE code, determination by, 113

Instrumentation
 gas-cooled reactors, 68-69
 Hallam Power Reactor, 283, 285
 large pressurized water reactors, 145-47
 level controllers, failure, 272
 liquid metal level indicators, 176-77
 neutron detectors, 224-25
 pressure switches, failure, 272
 temperature sensors, failure, 272

Integral cross sections
 ^9Be , 115

Iron
 corrosion by polyphenyls, 294

J

Jet Propulsion Laboratory
 liquid-metal magnetohydrodynamic system research, 207

L

Leaks
 Hallam Power Reactor, 282
 pressure vessels, 3
 SPERT-3, 275-76
 Yankee Power Reactor, 275-76

Level controllers
 SPERT-3, failure, 272

Level indicators
 for liquid metals, 176-77

Light water
 (see Water)

Liquid metals
 (see Metals (liquid))

Lithium (liquid)
 thermal, thermodynamic, and flow properties, 163-64

Loss-of-coolant
 accident analysis, 240-41

M

Magnesium
 corrosion by polyphenyls, 294

Magnesium alloys
 corrosion by polyphenyls, 294

Magnesium oxide systems (MgO -Pu O_2)
 radiation effects, 8

Magnetohydrodynamic systems, 199-209
 Maintenance
 handling of Hallam Power Reactor core components, 283
 MARC-2B code
 thermal neutron distribution calculation, 215
 Massachusetts Institute of Technology
 liquid-metal magnetohydrodynamic system research, 208
 Melt Refining Process
 vapor traps, 266
 Mercury
 condensation in Ni surfaces, 232-33
 thermal, thermodynamic, and flow properties, 163-64
 Metals (gaseous)
 film condensation, 232-33
 Metals (liquid)
 boiling behavior, 231
 level indicators, 176-77
 pumps for, 282
 thermal, thermodynamic, and flow properties, 163-64
 use in magnetohydrodynamic systems, 199-209
 vapor traps for use with, 259-70
 Meters
 plugging in Hallam Power Reactor, 283
 MHD system
 (see Magnetohydrodynamic systems)
 MOCA-2 code
 criticality calculation, 215
 Moderators
 criticality control with, 223-24
 element failure in Hallam Power Reactor, 285-87
 Molybdenum systems (Mo-W-UO₂ cermets)
 development for fuel elements, 128
 Molybdenum systems (Mo-UO₂ cermets)
 fabrication into fuel elements and thermal conductivity, 129
 Multiplication factors
 for EBR-I, with Pu core, 158-59

N

NaK
 (see Potassium alloys (K-Na)(liquid))
 Natural convection
 (see Convection (free))
 Neutrons
 age determination, 113-15
 delayed, 161-62
 detector design, 224-25
 flux measurements, 157-58
 pulsed, 112-13
 scattering, 116
 thermal, 114-15, 215
 thermalization, 115-16
 Nimbus Satellite
 thermal design calculations, 240
 Niobium
 corrosion by polyphenyls, 294
 Niobium alloys (Nb-Zr)
 corrosion, 42-45
 hydriding stress allowance, 9
 use in pressure tubes, 41
 Niobium systems (Nb-ThO₂-UO₂ cermets)
 thermal conductivity, 129
 Nitrogen
 corrosive effects, 173-74
 Noble gases
 thermal conductivity at high temperature, 239
 NPY Project, 111-12

O

Organic coolants
 (see Coolants (organic))
 Orifices
 operating problems in Hallam Power Reactor, 288
 Oxide films
 effects on hydriding of Zr alloys, 246-48
 Oxygen
 control of concentration in D₂O, 277
 effects on corrosion by polyphenyls, 294

P

Packed beds
 heat transfer, 237-38
 Petroleum distillates
 development for reactor use, 295
 Physics, 109-17, 154-55, 157-62, 210-20
 Plates
 evaporation rates from hot, 240
 heat transfer from at cryogenic temperatures, 239
 Plutonium
 critical experiments, 211-14
 neutron capture cross sections, 211
 Plutonium-239
 neutron capture cross sections, 211
 Plutonium-240
 neutron capture cross sections, 211
 Plutonium-241
 fission cross sections, 115
 neutron capture cross sections, 211
 Plutonium alloys
 criticality in D₂O lattices, 213
 Plutonium alloys (Al-Pu)
 criticality, 210, 212
 Plutonium alloys (Pu-U)
 criticality in lattices, 212-13
 Plutonium carbide systems (PuC-UC)
 design of fuel elements for large fast breeder reactors, 147-49, 151-52
 radiation effects, 8
 Plutonium carbides (PuC)
 radiation effects, 8
 Plutonium nitrates
 criticality of solution, 213-14
 Plutonium oxide systems
 critical experiments in water lattices, 210
 Plutonium oxide systems (MgO-PuO₂)
 radiation effects, 8
 Plutonium oxide systems (PuO₂-UO₂)
 critical experiments in water lattices, 210, 212
 design of fuel elements for large fast breeder reactors, 149-52
 fuel elements, fretting corrosion of Zircaloy-2 cladding, 177-82
 fuel elements, specifications, 129
 radiation effects, 8
 Plutonium oxide systems (PuO₂-ZrO₂)
 radiation effects, 8
 Plutonium oxides
 criticality in polystyrene, 214
 Pneumatic systems
 use in control systems, 223
 Poisons, 10-12
 boric acid, 214, 225
 CdSO₄ solution use, 214
 Gd(NO₃)₃, 226
 use in water-moderated reactors, 217
 Polyethylene
 reactivity effects, 109
 Polyphenyls, 123-24, 290-95
 Polystyrene
 moderating effects on PuO₂, 214
 Potassium (liquid)

thermal, thermodynamic, and flow properties, 163-64
 Potassium alloys (K-Na)(liquid)
 aerosol formation in, 260
 heat transfer coefficients, 235-36
 thermal, thermodynamic, and flow properties, 163
 Power conversion (direct)
 plants, 105-6
 Pressure
 effects on boiling superheat, 253
 Pressure drop
 of air in finned-tube heat exchangers, 236-37
 turbulent flow through wire-wrapped, seven-rod fuel assemblies, 123
 two-phase, 166, 233-35
 Pressure switches
 Elk River Power Reactor, failure, 272
 Pressure tubes
 design, 40-41
 fretting corrosion, 177-82
 Pressure vessels, 12-14
 design for large pressurized water reactors, 138-39
 design for Magnox reactors, 66-68
 KRB Reactor, 12-13
 leaks, 3
 SENA Reactor, 12-13
 SENN Reactor, 12-13
 SEP Reactor, 12
 WVER-1 Reactor, 9-10, 12-14
 Pressurized water
 burnout calculations, 121-23
 Pumps
 development for reactors, 18
 liquid metal, for Hallam Power Reactor, 282
 Hallam Power Reactor, 282
 Pyrolysis
 organic coolants, 290-91

R

Rabbit facility
 design and fabrication, 277
 Radiation (thermal)
 heat transfer calculations, 233-39
 Radiation effects
 biphenyl, 290
 control rods, 271
 core lifetime, 216
 fuel elements, 7-8, 62, 82, 255-56
 hydriding of Zr alloys, 246-48
 polyphenyls, 290-91, 293-94
 reactivity, 217
 SA-7, 38
 Zircaloy-2, 38, 41
 Radiolysis
 organic coolants, 290-94
 Reactivity
 calculations, 217
 changes with irradiation, 216
 effects on, 109-10
 measurements in reactors, 157-59
 Reactors
 (see also Critical...)
 corrosion product deposition in, 252
 future development, 17-20
 reactivity, 216-17
 subcriticality measurement during shutdown, 224-25
 Reactors (Advanced Gas Cooled)(AGR)
 design, 58
 fuel element design, 62
 operation, 60
 Reactors (Advanced Sodium Graphite)
 buckling studies, 111

- Reactors (Aerospace Shield Test)(ASTR)
 - control system, 223
- Reactors (Agesta)
 - corrosion in, 275
 - design, 47-48, 52-53
 - repair procedures, 276
- Reactors (AKB)
 - design, 36
- Reactors (Aquila-II)
 - criticality measurements in, 213
- Reactors (ARBUS)
 - design and operation, 103-4
- Reactors (AVR)
 - design, 73-74
- Reactors (Bashful-600)
 - design, 53, 55-56
- Reactors (Beloyarsk-1)
 - design, 28-34
- Reactors (Beloyarsk-2)
 - design, 28-34
- Reactors (Big Rock Point Power), 6
 - design, 4, 7
 - flow-induced vibrations, failures from, 273
 - operating experience, 3
 - pumps, 18
- Reactors (BN-350)
 - design, 94
 - status, 92
- Reactors (Bodega Bay Power)
 - design, 4
- Reactors (Boiling, Experiments-5) (BORAX-5)
 - design, 23
- Reactors (Boiling heavy-water)
 - design, 55
- Reactors (boiling-water), 3-29
 - corrosion product deposition in, 256
 - fuel element failure, 254-56
 - radiation effects on fuel elements, 255
 - water quality control, 254
- Reactors (BONUS)
 - design, 23, 25, 27
- Reactors (BR-3)
 - design, 5
 - use of soluble poison control, 10, 12
- Reactors (BR-5)
 - coolant contamination, 75-76
 - status, 95
- Reactors (Berkeley)
 - design, 58
 - performance, 60
- Reactors (Bradwell)
 - design, 58
 - performance, 60
 - refueling machine operation, 68
- Reactors (Calder Hall)
 - design, 58
- Reactors (CANDU), 37-44
 - physics, 217
- Reactors (Chapelcross)
 - design, 58
- Reactors (Connecticut Yankee Power)
 - design, 5
- Reactors (Czechoslovakian Heavy Water)
 - design, 56
- Reactors (DON)
 - design, 36
- Reactors (DOR)
 - design, 36
- Reactors (Dounreay Fast)
 - fission product contamination of coolant, 75
 - status, 92
- Reactors (Dragon)
 - design, 72-73
- Reactors (Dresden Power), 6
 - design, 4, 7
 - operating experience, 3
- Reactors (Dungeness)
 - design, 58
- Reactors (EDF-1)
 - criticality studies in, 213
 - design, 58
- Reactors (EDF-2)
 - design, 58
- Reactors (EDF-3)
 - design, 58
 - pressure vessel, 67
- Reactors (EDF-4)
 - design, 58
 - pressure vessel, 67
- Reactors (EL-4)
 - design, 36
- Reactor (Elk River Power)
 - control system, 271-72
 - coolant flow oscillations, 273
 - design, 4
 - instrument failure, 272
- Reactors (Enrico Fermi Fast Breeder)
 - auxiliary systems, 77-78
 - coolant decontamination, 77
 - design, 78-80
 - operation, 78
 - status, 92
 - vapor traps, 261
- Reactors (Experimental Beryllium Oxide) (EBOR)
 - development, 106
- Reactors (Experimental Boiling Water) (EBWR)
 - operation, 147
 - scaling, 252
- Reactors (Experimental Breeder-I) (EBR-I)
 - nuclear parameters for Pu core, 158-9
 - vapor traps, 260-61
- Reactors (Experimental Breeder-2) (EBR-2)
 - control rod drive mechanisms, 133-34
 - design, 78-80
 - coolant decontamination, 77
 - status, 92
 - vapor traps, 261-63
- Reactors (fast breeder), 84-95
 - criticality studies, 110
 - design of large, 147-55
 - gas coolant, 95
- Reactors (Fast Supercritical Pressure Power)(FSPPR)
 - design, 186-93
- Reactors (Fast, Test)(FARET)
 - vapor traps, 264-65
- Reactors (First Atomic Power Station)
 - design, 28-29
- Reactors (fog-cooled)
 - heat transfer, 228-29
- Reactors (G2)
 - design, 58
 - pressure vessel, 67
- Reactors (G3)
 - design, 58
 - pressure vessel, 67
- Reactors (gas-cooled), 56, 58-74
 - design of fast breeders, 95
 - operating experience, 216
 - physics, 216
- Reactors (General Electric Test)(GETR)
 - flow-induced vibrations, failures from, 273-74
- Reactors (graphite-moderated), 28-34
 - core physics calculations, 160-61
- Reactors (Halden)
 - flowsheets, 50
 - operation, 50-51
 - water chemistry, 52
- Reactors (Hallam Power)
 - pumps, 18
- Reactors (decontamination), 77
 - design, 78-80
 - operation, 81, 279-80, 282-88
 - vapor traps, 264
- Reactors (Hanford Graphite Superheat) (HGSR)
 - design, 193-98
- Reactors (heavy-water), 35-37
 - oxygen concentration control in coolant, 277
 - physics, 217
- Reactors (Heavy Water Components Test) (HWCTR)
 - control rod-guide-tube rupture, 222-23
 - shutdown with boric acid, 225
- Reactors (Hector)
 - criticality measurements in, 212
- Reactors (Hinkley Point)
 - design, 58
- Reactors (Humboldt Bay Power), 6
 - design, 4, 7
 - operating experience, 3
- Reactors (Hunterston)
 - design, 58
- Reactors (Indian Point Power) (CETR), 6
 - control system, 271
 - operating experience, 3
 - repair procedures, 276-77
- Reactors (Industrial Reactor Laboratories)
 - rabbit facility design and fabrication, 277
- Reactors (JPDR)
 - design, 4
- Reactors (Kahl Superheating)
 - design, 22, 24
- Reactors (KBWP)
 - design, 5
- Reactors (KRB)
 - design, 4
 - pressure vessel, 12-13
- Reactors (La Crosse Boiling Water) (LACBWR)
 - design, 4
- Reactors (Large Closed Cycle Water)
 - fuel element evaluation, 172
- Reactors (Latina)
 - design, 58
- Reactors (Lenin)
 - design and operation, 97-98
- Reactors (liquid metal-cooled), 75-96
- Reactors (Lithium Cooled, Experiment) (LCRE)
 - vapor traps, 266-67
- Reactors (Los Alamos Fast, Core Test Facility)(FRCTF)
 - vapor traps, 265
- Reactors (Los Alamos Molten Plutonium Experiments)(LAMPRE)
 - vapor traps, 265
- Reactors (Loss-of-Flow Test)(LOFT)
 - program analysis, 240-41
- Reactors (Lucens)
 - design, 36
- Reactors (Magnox), 58-71
- Reactors (Malibu-1 Power)
 - design, 5
- Reactors (marine), 97-102
- Reactors (Marius)
 - criticality measurements in, 213
- Reactors (Maryla)
 - design, 111
- Reactors (Marviken)
 - design, 47, 49, 52-55
- Reactors (Minerve)
 - criticality measurements in, 213
- Reactors (ML-1)
 - fuel element evaluation, 173-74
- Reactors (Molten Salt, Experiment) (MSRE)
 - coolant decontamination, 77

- development, 106
 - Reactors (NERO)
 - design, 100-1
 - Reactors (New Production)(NPR)
 - tubes and fittings, 134-36
 - Reactors (Nine Mile Point Power)
 - design, 4
 - Reactors (NORA)
 - fuel element design, 112
 - Reactors (Novo-Veronezh)(WWER)
 - burnup, 217
 - Reactors (NPD), 35-44
 - Reactors (NRX)
 - testing of reactor materials in, 38
 - Reactors (Oldbury)
 - design, 58
 - pressure vessel, 67
 - Reactors (Organic Cooled, Heavy Water Moderated Power)
 - design, 36
 - Reactors (Otto Hahn)
 - design, 98-99
 - Reactors (Oyster Creek Power)
 - design, 4
 - Reactors (Parr Shoals Power)
 - design, 36
 - Reactors (Pathfinder Power)
 - design, 23
 - Reactors (Peachbottom Power)
 - design, 72-73
 - Reactors (pebble bed)
 - design, 73-74
 - Reactors (Plutonium Recycle Test) (PRTR)
 - control of oxygen in D₂O system, 277
 - nuclear parameters, 158
 - pressure-tube fretting corrosion, 177-82
 - Reactors (PM-1)
 - status, 103
 - Reactors (PM-2A)
 - status, 103
 - Reactors (PM-3A)
 - status, 103
 - Reactors (portable power), 103-4
 - Reactors (pressure-tube), 35-45
 - Reactors (Pressurized Heavy Water)
 - design, 51-53, 55
 - Reactors (pressurized-water), 3-29
 - development and design of large, 137-47
 - use of soluble poisons for control, 10-12
 - Reactors (Puerto Rico Power)(BONUS)
 - design, 23, 25, 27
 - Reactors (R-1)
 - design, 36
 - Reactors (R-2)
 - design, 36
 - Reactors (R3/Adam)
 - (see Reactors (Agesta))
 - Reactors (Rapsodie)
 - status, 92
 - Reactors (RB)
 - fuel element design, 112
 - Reactors (Romaska)
 - design, 105-6
 - Reactors (RWE)
 - design, 4
 - Reactors (San Onofre Power)
 - design, 5
 - pumps, 18
 - Reactors (Savannah River)
 - burnout computation, 227
 - Reactors (Saxton Power)
 - design, 5, 7
 - operating experience, 3
 - use of soluble poison control, 12
 - Reactors (SELNI)
 - design, 5
 - Reactors (SENA)
 - design, 5
 - pressure vessel, 12-13
 - Reactors (SENN)
 - design, 4
 - Reactors (SEP)
 - design, 4
 - pressure vessel, 12
 - Reactors (Shippingport Pressurized Water) (PWR), 6
 - design, 5
 - fuel element performance, 172, 252
 - operating experience, 3
 - use of burnable poison, 12
 - Reactors (Sizewell)
 - design, 58
 - Reactors (SM-1)
 - status, 103
 - Reactors (SM-1A)
 - status, 103
 - Reactors (SNAP-10A)
 - design, 105
 - Reactor (Sodium, Experiment)(SRE)
 - nuclear parameters of second core, 157-58
 - operation, 80-81
 - vapor traps, 264
 - Reactors (sodium graphite), 80-84
 - steam cycles, 183-85
 - Reactors (Southwest Experimental Fast Oxide)(SEFOR)
 - vapor traps, 265
 - Reactors (Special Excursion, Tests-2) (SPERT-2)
 - critical experiments with, 109
 - Reactors (Special Power Excursion, Tests-3) (SPERT-3)
 - electrical circuits, failure, 272-73
 - flow-induced vibrations, failures from, 273-75
 - leaks, 275-76
 - level controller failure, 272
 - Reactors (Steam Generating Heavy Water)
 - design, 36
 - Reactors (superheating), 22-34
 - design of HGSR, 193-98
 - fuel element development, 174-75
 - Reactors (Tarapur)
 - design, 4
 - Reactors (TES-3)
 - operation, 104
 - Reactors (Tokai Mura)
 - design, 58
 - Reactors (Transient, Test Facility) (TREAT)
 - vapor traps, 265-66
 - Reactors (Trawsfynydd)
 - design, 58
 - Reactors (UEM)
 - design, 5
 - Reactors (Ultra High Temperature, Experiment) (UHTREX)
 - development, 106
 - Reactors (Ulyanovsk)
 - design, 25-26
 - Reactors (University of Michigan)
 - D₂O reflectors, 277, 279
 - Reactors (University of Missouri at Rolla) (UMRR)
 - control rod swelling, 222
 - Reactors (Vallecitos Boiling Water) (VBWR)
 - fuel element failure in, 252-54, 256
 - Reactors (Vallecitos Superheat)
 - design, 22, 24
 - Reactors (VULCAIN)
 - design, 99-101
 - Reactors (water-cooled), 3-29
 - material buckling in, 214-15
 - physics, 216
 - Reactors (water-moderated), 3-29
 - material buckling in, 214-15
 - physics, 216
 - use of poisons in, 217
 - Reactors (WWER)
 - design, 5
 - operating experience, 3
 - Reactors (WWER-1)
 - design, 19-20
 - pressure vessel, 9-10, 12-14
 - Reactors (WWER-2)
 - design, 19-20
 - Reactors (Wylfa)
 - design, 58
 - pressure vessel, 67
 - Reactors (Yankee Power), 6
 - control system, 271-72
 - critical experiments, 210
 - design, 5
 - flow-induced vibrations, failures from, 273-74
 - leaks, 275-76
 - operating experience, 3
 - pumps, 18
 - use of soluble poison control, 12
 - Reactors (ZPR-3)
 - core design, 110-11
 - Reflectors
 - D₂O in University of Michigan Reactor, 277, 279
 - Resonance absorption
 - mathematical analysis, 159-60
 - Resonance capture
 - in U-238, 215
 - Resonance Integral Theory
 - calculations, 218
 - REX code
 - criticality calculations, 210
 - ROB code
 - thermal conductivity calculations, 118
 - Rubidium (liquid)
 - thermal, thermodynamic, and flow properties, 163-64
- S**
- Safety
 - accident frequency, 221-22
 - burnout computation in Savannah River Reactors, 227
 - coolant flow oscillations in Elk River Power Reactor, 273
 - fast breeder reactors, 85-86, 153-54
 - Hallam Power Reactor, 280
 - instrument failures, 272-73
 - leaks, 275-76, 282
 - loss-of-coolant accidents, 240-41
 - shutdown, emergency, 225-26
 - University of Michigan Reactor, 279
 - University of Missouri at Rolla Reactor, 222
 - vibrations, flow-induced, 273-75
 - Salt solutions
 - heat transfer to, from wire-wrapped, seven-rod fuel element bundles, 123
 - Santowax
 - sampling techniques, 294-95
 - Santowax OMP
 - corrosive effects, 294
 - film formation by, 293-94
 - radiolysis, 290-91
 - use in ROSPO Critical Assembly, 112
 - Santowax-R
 - corrosive effects, 294
 - heat transfer properties, 123-24, 295
 - radiolysis, 291-92
 - SAP

- corrosion by polyphenyls, 293-94
 - development for reactor fuels, 37, 39
 - radiation effects, 38
 - Satellites (man-made)
 - Nimbus, thermal design calculations, 240
 - Seals
 - pressure vessel, leaks, 3
 - use of freeze, in Hallam Power Reactor, 283
 - Shims (chemical), 10-11
 - Yankee Power Reactor, 272
 - Shutdown (emergency)
 - use of boric acid, 225
 - use of gadolinium nitrate, 226
 - Sintered aluminum products
 - (see SAP)
 - Sodium (gaseous)
 - freeze traps for, 285
 - Sodium (liquid)
 - heat transfer from boiling, 164
 - reactor cooling, 75-96
 - thermal, thermodynamic, and flow properties, 163-64
 - Sodium alloys (K-Na)(liquid)
 - aerosol formation in, 260
 - heat transfer coefficients, 235-36
 - thermal, thermodynamic, and flow properties, 163
 - Sodium Components Test Installation
 - vapor traps, 264
 - Sodium Test Facility
 - vapor traps, 265
 - SOFOCATE code
 - criticality calculations, 210
 - Specifications
 - fuel elements, $\text{PuO}_2\text{-UO}_2$, 129
 - pressure vessels, 13-14
 - Spiralator
 - heat exchanger, design, 237
 - Springs
 - use in control system, 223
 - Stagnation
 - vapor traps utilizing, 260
 - Stainless steel systems (stainless steel- UO_2 cermet)
 - development for fuel elements, 126-27
 - Stainless steels
 - cladding for fuel elements, 3, 6-9
 - corrosion of, 254, 293-94
 - effects of boiling water on, 255
 - performance in water-cooled reactors, 254, 256
 - Steam
 - effects on hydriding of Zr alloys, 246
 - Steam (superheated)
 - heat transfer, 40, 121
 - Steam generators
 - design for large pressurized water reactors, 138
 - operating problems in Hallam Power Reactor, 284
 - Steam-water systems
 - boiling burnout in, 166-67
 - flow and heat transfer, 165, 166-70
 - Steels
 - corrosion, 9-10, 293-94
 - STOKE code, 35
 - for heavy water reactor simulation, 35
 - Stress corrosion
 - effects of oxygen concentration, 255
 - Stresses
 - (see also Thermal stresses)
 - effects on cracking, 252, 255
 - Subcriticality
 - measurement, 224-25
 - Sulfur
 - effects on corrosion by polyphenyls, 294
 - Superheated steam
 - (see Steam (superheated))
 - Superheating
 - pressure effects on boiling, 253
 - Surfaces
 - effects on boiling, 231, 253
- T**
- Tanks
 - failure of Na expansion, in Hallam Power Reactor, 285
 - Teflon
 - flexible tube heat exchangers, 237
 - Temperature sensors
 - failure in Elk River Power Reactor, 272
 - TEMPEST code
 - cross section calculations, 212
 - Terphenyl
 - heat transfer properties of irradiated, 123-24
 - Thermal conductivity
 - effects on pool boiling, 230
 - fuel elements, 118-21, 129
 - heat transfer calculations, 239
 - hydrogen at high temperatures, 239
 - noble gases at high temperature, 239
 - Thermal neutrons
 - absorption cross section and diffusion length in graphite, 114-15
 - distribution in light-water reactors, 215
 - Thermal radiation
 - heat transfer calculations, 238-39
 - Thermal stresses
 - in fuel elements, 253, 255
 - Thermometers
 - failure in Elk River Power Reactor, 272
 - THERMOS code
 - cross section calculations, 212
 - thermal neutron distribution calculations, 215
 - Thorium alloys (Th-U)
 - fuel element development for fast breeder reactors, 89
 - Thorium alloys (Th-U-Zr)(Zircaloy-2-clad)
 - fabrication of fuel elements, 130
 - Thorium oxide systems (Nb-Th $\text{O}_2\text{-UO}_2$ cermet)
 - thermal conductivity, 129
 - Thorium oxide systems (Th $\text{O}_2\text{-UO}_2$)
 - fuel element design, 3, 6-9
 - radiation effects, 8
 - Traps
 - for aerosols, 359-70
 - for carbon, oxides, and Na in Hallam Power Reactor, 285
 - for liquid metal systems, 259-70
 - Tubes
 - (see also Pressure tubes)
 - burnout, 16-17
 - burnout of water in, 121
 - heat transfer from, at cryogenic temperatures, 239-40
 - Tubes (finned)
 - use in heat exchangers, 236-37
 - Tungsten systems (Mo-W- UO_2 cermet)
 - development for fuel elements, 128
 - Tungsten systems (W- UO_2 cermet)
 - development for fuel elements, 127-28
 - Turbulent flow
 - (see Fluid flow (turbulent))
 - Two-phase flow
 - (see Fluid flow)
- U**
- Uranium
 - criticality in D_2O lattices, 213
 - criticality in graphite lattices, 212-13
 - radiation effects on reactivity, 217
 - Uranium-233
 - radiation effects on reactivity, 217
 - Uranium-235
 - fission ratio to U-238, 110
 - fission spectrum cross section, 115
 - radiation effects on reactivity, 217
 - Uranium-238
 - fission ratio to U-235, 110
 - resonance capture, 215
 - Uranium (enriched)
 - criticality in D_2O lattices, 213
 - Uranium alloys (Pu-U)
 - criticality in lattices, 212-13
 - Uranium alloys (Th-U)
 - fuel element development for fast breeder reactors, 89
 - Uranium alloys (Th-U-Zr)(Zircaloy-2-clad)
 - fabrication of fuel elements, 130
 - Uranium carbide systems (PuC-UC)
 - design of fuel elements for large fast breeder reactors, 147-49, 151-52
 - radiation effects, 8
 - Uranium carbides (UC)
 - buckling studies, 111
 - development for fuel elements for sodium graphite reactors, 81-83
 - evaluation for fuel elements, 174
 - fabrication of Na-bonded fuel elements, 129-30
 - radiation effects, 8, 82
 - Uranium nitrides (UN)
 - radiation effects, 8
 - Uranium oxide systems
 - critical experiments in water lattices, 210
 - Uranium oxide systems ($\text{Al}_2\text{O}_3\text{-UO}_2$)
 - radiation effects, 8
 - Uranium oxide systems (BeO-UO_2)
 - radiation effects, 8
 - Uranium oxide systems (BeO-UO_2) (Hastelloy-X-clad)
 - fuel elements, evaluation, 173
 - Uranium oxide systems (Mo-UO_2 cermet)
 - fabrication into fuel elements and thermal conductivity, 129
 - Uranium oxide systems (Mo-W-UO cermet)
 - development for fuel elements, 128
 - Uranium oxide systems ($\text{Nb-ThO}_2\text{-UO}_2$ cermet)
 - thermal conductivity, 129
 - Uranium oxide systems ($\text{PuO}_2\text{-UO}_2$)
 - critical experiments in water lattices, 210, 212
 - design of fuel elements for large fast breeder reactors, 149-52
 - fuel elements, fretting corrosion of Zircaloy-2 cladding, 177-82
 - fuel elements, specifications, 129
 - radiation effects, 8
 - Uranium oxide system (stainless steel- UO_2 cermet)
 - development for fuel elements, 126-27
 - Uranium oxide systems ($\text{ThO}_2\text{-UO}_2$)
 - fuel element design, 3, 6-9
 - radiation effects, 8
 - Uranium oxide systems (W- UO_2 cermet)
 - development for fuel elements, 127-28
 - Uranium oxide systems ($\text{UO}_2\text{-ZrO}_2$)
 - radiation effects, 8
 - Uranium oxides (UO_2)
 - evaluation, 172-74
 - fretting corrosion, 177-82
 - fuel elements, design, 3, 6-9
 - fuel elements, evaluation, 172-74
 - fuel elements, fabrication, 128-29
 - fuel elements, thermal conductivity,

- 119-21
 pulsed neutron studies, 112
 radiation effects, 8
 Uranium silicides (U₃Si)
 radiation effects, 8
 Uranium sulfides (US)
 radiation effects, 8
 Uranium systems
 criticality in water lattices, 210-11
 Uranyl nitrate
 criticality of solutions, 213
- V**
- Valves
 performance in Hallam Power Reactor,
 282-84
 Vapor traps
 for liquid metal systems, 259-70
 Vaporizers
 flow stability in forced convection, 231-
 32
 Vena contracta
 mixing during reexpansion, 235
 Vertical channels
 (see Channels)
 Vibrations
 flow-induced, failures from, 273-75

W

- Water
 burnout heat flux under forced
 convection, 122
 condensation, 233
 corrosion of steel, 9-10
 criticality studies in lattices of, 210-212
 dissociation, effects on hydriding
 of Zr alloys, 248
 effects on corrosion by polyphenyls, 294
 moderator, pulsed neutron studies in, 113
 quality control, 254
 reactivity effects, 109-10
 Water (pressurized)
 burnout calculations, 121-23
 Water-air systems
 flow, techniques for observing, 165
 Water-ice systems
 free convection melting, heat transfer
 calculations, 239-40
 Water-steam systems
 boiling burnout in, 166-67
 flow and heat transfer, 165, 166-70

Z

- Zircaloy alloy
 cladding for fuel elements, 3, 6-9
 effects of hydriding on properties, 245

- Zircaloy-2 alloy
 corrosion, 42-45
 effects of hydriding on properties,
 245, 248-49
 hydriding, control of, 249-50
 hydrogen absorption, 246
 radiation effects, 38, 41
 use in pressure tubes, 41
 Zircaloy-2 alloy (Ni-tree)
 hydrogen absorption, 246
 Zircaloy-4 alloy
 hydriding, control of, 250
 hydrogen absorption, 246
 Zirconium alloys
 hydriding, 246-51
 Zirconium alloys (coated)
 corrosion by polyphenyls, 294
 Zirconium alloys (Nb-Zr)
 corrosion, 42-45
 hydriding stress allowance, 9
 use in pressure tubes, 41
 clad)
 Zirconium alloys (Th-U-Zr)(Zircaloy-2-clad)
 fabrication of fuel elements, 130
 Zirconium hydride
 formation in Zircalloys, 245-46
 orientation, 250-51
 Zirconium oxide systems (PuO₂-ZrO₂)
 radiation effects, 8
 Zirconium oxide systems (UO₂-ZrO₂)
 ● radiation effects, 8

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

